

Test Report No.: CANEC24004652801 **Date**: Mar 22, 2024 Page 1 of 5

Client Name: DONGGUAN TN SILICONE TECHNOLOGY CO.,LTD

Client Address: DONGAO INDUSTRIAL AREA TIANRAOBU VILLAGE HENGLI TOWN DONGGUAN CITY

Sample Name: Silicone Rubber

Model No.: TN950

Client Ref. Information: TN9XX、TN9XXX (X stands for 0~9) The above sample(s) and information were provided by the client.

.....

SGS Job No.: SZP24-009930 Sample Receiving Date: Mar 15, 2024

Testing Period: Mar 15, 2024 ~ Mar 22, 2024

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

	Test Requirement	Conclusion
1	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Sensorial examination odour and taste test	Pass
2	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Polynuclear aromatic hydrocarbons (PAHs)	Pass
3	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Extractable Components	Pass
4	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Volatile Organic Matter(VOM)	Pass

Kim Cai

Kim Cai Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@sss.com.

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 t (86-20) 82155555

www.sgsgroup.com.cn sgs.china@sgs.com



Test Report No.: CANEC24004652801 **Date**: Mar 22, 2024 Page 2 of 5

	Test Requirement	Conclusion
5	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Total Lead and Cadmium	Pass

Test Result(s):

Test Part Description:

SN ID Sample No.		SGS Sample ID	Description	Material (claimed by the client)
SN1	A1	CAN24-0046528-0001.C001	Translucent silicone sheet	Silicone Rubber

Remarks:

 mg/dm² = milligram per square decimeter mg/inch² = milligram per square inches μg/cm² = microgram per square centimeter mg/L = milligram per litre mg/kg = milligram per kilogram

(2) °C = degree Celsius

°F = degree Fahrenheit

- (3) <= less than
- (4) RL = Reporting Limit
- (5) ND = Not Detected (< RL).

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Sensorial examination odour and taste test

Test Method: With reference to DIN 10955: 2024.

No. of panelist: 6

Test Media	Test Condition		
	A1		
Distilled water	100ºC, 4 hrs		

Test Item(s)	Limit	Unit(s)	A1
Area/Volume	-	dm²/kg	10.0
Sensorial examination odour	2.5	-	0
Sensorial examination taste	2.5	-	0
Comment			Pass

Notes:

Intensity scale (rounded at 0.5):

0 – no perceptible difference



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ss.com.

No.199, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangchong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮第: 510663 t (86-20) 82155555 t (86-20) 82155555

www.sgsgroup.com.cn sgs.china@sgs.com



Test Report No.: CANEC24004652801 **Date**: Mar 22, 2024 Page 3 of 5

1 – just perceptible difference

2 - slight difference

3 - marked difference

4 - strong difference

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Polynuclear aromatic hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A1
Benzo(a)pyrene(BaP)	50-32-8	0.2	mg/kg	0.2	ND
Benzo(e)pyrene(BeP)	192-97-2	0.2	mg/kg	0.2	ND
Benzo(a)anthracene(BaA)	56-55-3	0.2	mg/kg	0.2	ND
Benzo(b)fluoranthene(BbF)	205-99-2	0.2	mg/kg	0.2	ND
Benzo(j)fluoranthene(BjF)	205-82-3	0.2	mg/kg	0.2	ND
Benzo(k)fluoranthene(BkF)	207-08-9	0.2	mg/kg	0.2	ND
Chrysene(CHR)	218-01-9	0.2	mg/kg	0.2	ND
Dibenzo(a,h)anthracene(DBA)	53-70-3	0.2	mg/kg	0.2	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	0.2	mg/kg	0.2	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	0.2	mg/kg	0.2	ND
Phenanthrene(PHE)	85-01-8	0.2	mg/kg	0.2	ND
Pyrene(PYR)	129-00-0	0.2	mg/kg	0.2	ND
Anthracene(ANT)	120-12-7	0.2	mg/kg	0.2	ND
Fluoranthene(FLT)	206-44-0	0.2	mg/kg	0.2	ND
Naphthalene(NAP)	91-20-3	0.2	mg/kg	0.2	ND
Acenaphthylene(ANY)	208-96-8	0.2	mg/kg	0.2	ND
Acenaphthene(ANA)	83-32-9	0.2	mg/kg	0.2	ND
Fluorene(FLU)	86-73-7	0.2	mg/kg	0.2	ND
Comment					

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Extractable Components

Test Method: With reference to 61st Mitteilung über die Untersuchung von Kunststoffen,

Bundesgesundheitsbl 46 (2003) 362.

Simulant used	Test Condition	Limit	Unit(s)	RL	A1	Comment
10% Ethanol(V/V)	100ºC, 4 hrs	0.5	%(w/w)	0.1	ND	Pass
3% Acetic acid	100ºC, 4 hrs	0.5	%(w/w)	0.1	ND	Pass
DI water	100ºC, 4 hrs	0.5	%(w/w)	0.1	ND	Pass

Notes:

(1) Test condition & simulant were specified by client.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test proof refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@ss.com.

No.199, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, Chira 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 t (86-20) 82155555 www.sgsgroup.com.cn sgs.china@sgs.com



Test Report No.: CANEC24004652801 Date: Mar 22, 2024 Page 4 of 5

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Volatile Organic Matter(VOM)

Test Method: With reference to BfR test method-Determination of volatile compounds in silicone

consumer products (03/2022). Test condition: 200°C, 4 hrs

Test Item(s)	Limit	Unit(s)	RL	A1
Volatile organic matter (VOM)	0.5	%(w/w)	0.10	ND
Comment	Pass			

Notes:

(1) %w/w =percentage of weight by weight

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Total Lead and Cadmium

Test Method: Acidic digestion, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit(s)	RL	A1
Cadmium(Cd)	Absent	mg/kg	2	ND
Lead(Pb)	Absent	mg/kg	2	ND
Comment				Pass

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test proof refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@ss.com.



Test Report No.: CANEC24004652801 **Date:** Mar 22, 2024 Page 5 of 5

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test proof trefer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@sss.com.